



Opelousas Downtown Development District  
5367 I-49 S. Service Rd.  
Opelousas, Louisiana 70570  
Phone: (337) 948-1391 Fax: (337) 407-2283  
www.opportunitystlandry.com

## **NOTICE OF PUBLIC MEETING**

### **Opelousas Downtown Development District**

**Meeting Date and Time: Friday, July 23, 2021, at 9:00 am**

**Meeting Place: 5367 I 49 S. Service Road, Opelousas, LA 70570 or**

NOTICE IS HEREBY GIVEN that the Board of Commissioners of the Downtown Development Authority, will meet in open and public session on Friday, July 23, 2021, at nine o'clock (9:00) a.m., at SLED, 5367 I 49 S. Service Road, Opelousas, LA 70570 and that at such time and place the Board of Commissioners will hold a regular monthly meeting for the following purposes:

### **AGENDA**

- ❖ Welcome
- ❖ Pledge and Opening Prayer
- ❖ Roll Call
- ❖ Approval
- ❖ of June 25, 2021, Meeting Minutes
  
- ❖ ODDD Business Recognition Program
  - Businesswomen, Vera Nagy – July Awardee
  
- ❖ Monthly Financial Report
  - Annual Audit Proposed
    - Louisiana Compliance Questionnaire, (Board approval for signature).
  
- ❖ **Old Business:**
  - CPEX-Joni Hammons
  - ODDD Master Plan Final Adoption Schedule August 10, 2021, Opelousas City Council
    - Public Hearing and Council Final vote on Master Plan Ordinance
  - City of Opelousas
    - Asphalt Art Initiative Grant, (Fall)
    - Pedi Bike Trail Grant
    - Tap Grant Landry Street
    - Keep Opelousas Clean Initiative
  - ODD Grant Program
    - Building Improvement Grant (BIG)

❖ **New Business**

- Sexual Harassment and Ethics certificates for 2021
  - ODDD Master Plan Implementation Phase
  - Grant Funding, Facial Agent for Master Plan Implementation
- Preservation and Permanent Lighting of Court House Oak Trees, Walking Ladies

❖ **Board Member Comments**

❖ **Adjourn**

Next Meeting Date: Friday, August 20, 2021, at 9:00 a.m. on the campus of SLED. Public and any interested parties are invited to attend. If you require reasonable accommodations your request should be submitted as far in advance as possible.

